

**To:** Washburn, Ben[washburn.ben@epa.gov]  
**From:** Vann, Bradley  
**Sent:** Thur 8/27/2015 9:33:59 PM  
**Subject:** RE: Fact sheet on 95% UCL

Ben, I've asked Terrie to hold this back for now, as it fits into a bigger discussion on Risk Assessment for which is will be revisiting later next year.

Bradley Vann - Remedial Project Manager

U.S. Environmental Protection Agency

Superfund Division

Missouri/Kansas Remedial Branch

11201 Renner Blvd.

Lenexa, KS 66219

Phone: 913-551-7611

Fax: 913-551-9611

Cell: 816-714-0331

**From:** Terrie Boguski [mailto:tboguski@skeo.com]  
**Sent:** Tuesday, August 25, 2015 9:04 AM  
**To:** Vann, Bradley; Washburn, Ben  
**Subject:** FW: Fact sheet on 95% UCL

**From:** Terrie Boguski  
**Sent:** Monday, August 17, 2015 1:28 PM  
**To:** 'Vann, Bradley' <Vann.Bradley@epa.gov>; 'Washburn, Ben' <washburn.ben@epa.gov>  
**Cc:** Kirby Webster <kwebster@skeo.com>  
**Subject:** Fact sheet on 95% UCL

Hi Brad and Ben,

I hope the West Lake Landfill CAG meeting went well last week. I haven't received any information or requests from the CAG. Attached is a fact sheet that we prepared for another community where I will be discussing risk assessment. The WLL CAG technical committee asked us to write a fact sheet about risk assessment for them. As a precursor to that fact sheet, I am planning to give the attached to the CAG technical committee. If you see any problem with using the attached fact sheet for the WLL CAG, please let me know.

Is there a date for the next technical committee and/or CAG meeting?

Thanks.

Terrie

Terrie Boguski

Senior Technical Analyst

Skeo Solutions

913-780-3328 (office)

913-568-7550 (cell)

[www.skeo.com](http://www.skeo.com)

[tboguski@skeo.com](mailto:tboguski@skeo.com)

[tboguski@sbcglobal.net](mailto:tboguski@sbcglobal.net)

